


# TUBING

# TecnaAir®

DRIVE & CONTROL TECHNOLOGY



- Polyurethane
- Nylon
- PVC
- Teflon

[www.tecnair.co.uk](http://www.tecnair.co.uk)

# Tubing



## Polyurethane Tube - 25m Coils



- Excellent abrasion resistance
- High flexibility
- Silicone free
- Temperature: -40°C to 60°C
- 100m coils also available

Part Number	Tube OD (mm)	Tube ID (mm)	Colour	Working Pressure		Min Bend Radius
				bar	PSI	
TBU04-2.5	4	2.5	Clear	15	217	10mm
TBU04-2.5B	4	2.5	Black	15	217	
TBU04-2.5BL	4	2.5	Blue	15	217	
TBU04-2.5G	4	2.5	Green	15	217	
TBU04-2.5R	4	2.5	Red	15	217	
TBU04-2.5Y	4	2.5	Yellow	15	217	
TBU05-3	5	3	Clear	16	246	20mm
TBU05-3B	5	3	Black	16	246	
TBU05-3BL	5	3	Blue	16	246	
TBU05-3G	5	3	Green	16	246	
TBU05-3R	5	3	Red	16	246	
TBU05-3Y	5	3	Yellow	16	246	
TBU06-4	6	4	Clear	13	188	25mm
TBU06-4B	6	4	Black	13	188	
TBU06-4BL	6	4	Blue	13	188	
TBU06-4G	6	4	Green	13	188	
TBU06-4R	6	4	Red	13	188	
TBU06-4Y	6	4	Yellow	13	188	
TBU08-5	8	5	Clear	15	217	30mm
TBU08-5B	8	5	Black	15	217	
TBU08-5BL	8	5	Blue	15	217	
TBU08-5G	8	5	Green	15	217	
TBU08-5R	8	5	Red	15	217	
TBU08-5Y	8	5	Yellow	15	217	
TBU10-6.5	10	6.5	Natural	14	203	40mm
TBU10-6.5B	10	6.5	Black	14	203	
TBU10-6.5BL	10	6.5	Blue	14	203	
TBU10-6.5G	10	6.5	Green	14	203	
TBU10-6.5R	10	6.5	Red	14	203	
TBU10-6.5Y	10	6.5	Yellow	14	203	
TBU12-8	12	8	Clear	13	188	50mm
TBU12-8B	12	8	Black	13	188	
TBU12-8BL	12	8	Blue	13	188	
TBU12-8G	12	8	Green	13	188	
TBU12-8R	12	8	Red	13	188	
TBU12-8Y	12	8	Yellow	13	188	

### Metric Nylon Tube 30m Coils



Part Number	Tube OD (mm)	Tube ID (mm)	Colour	Working Pressure		Min Bend Radius
				bar	PSI	
TBN-04-2.5	4	2.5	Natural	33	478	10mm
TBN-04-2.5BK	4	2.5	Black	33	478	
TBN-04-2.5BL	4	2.5	Blue	33	478	
TBN-04-2.5G	4	2.5	Green	33	478	
TBN-04-2.5R	4	2.5	Red	33	478	
TBN-04-2.5Y	4	2.5	Yellow	33	478	
TBN-05-3.3	5	3.3	Natural	30	435	13mm
TBN-05-3.3BK	5	3.3	Black	30	435	
TBN-05-3.3BL	5	3.3	Blue	30	435	
TBN-05-3.3G	5	3.3	Green	30	435	
TBN-05-3.3R	5	3.3	Red	30	435	
TBN-05-3.3Y	5	3.3	Yellow	30	435	
TBN-06-4	6	4	Natural	29	420	16mm
TBN-06-4BK	6	4	Black	29	420	
TBN-06-4BL	6	4	Blue	29	420	
TBN-06-4G	6	4	Green	29	420	
TBN-06-4R	6	4	Red	29	420	
TBN-06-4Y	6	4	Yellow	29	420	
TBN-08-6	8	6	Natural	21	304	32mm
TBN-08-6BK	8	6	Black	21	304	
TBN-08-6BL	8	6	Blue	21	304	
TBN-08-6G	8	6	Green	21	304	
TBN-08-6R	8	6	Red	21	304	
TBN-08-6Y	8	6	Yellow	21	304	
TBN-10-7	10	7	Natural	26	377	33mm
TBN-10-7BK	10	7	Black	26	377	
TBN-10-7BL	10	7	Blue	26	377	
TBN-10-7G	10	7	Green	26	377	
TBN-10-7R	10	7	Red	26	377	
TBN-10-7Y	10	7	Yellow	26	377	
TBN-12-9	12	9	Natural	21	304	47mm
TBN-12-9BK	12	9	Black	21	304	
TBN-12-9BL	12	9	Blue	21	304	
TBN-12-9G	12	9	Green	21	304	
TBN-12-9R	12	9	Red	21	304	
TBN-12-9Y	12	9	Yellow	21	304	
TBN-14-11	14	11	Natural	17	246	68mm
TBN-15-12	15	12	Natural	16	232	75mm
TBN-16-12	16	12	Natural	21	304	85mm
TBN-18-14	18	14	Natural	18	261	100mm
TBN-20-16	20	16	Natural	16	232	100mm
TBN-22-17	22	17	Natural	18	261	140mm
TBN-28-22	28	22	Natural	17	246	140mm

- Manufactured to BS5409 Part 1
- Resistant to a wide range of chemicals
- Excellent impact strength
- Good flexibility
- Suitable for use with push in fittings
- Temperature: -40°C to 80°C

**Imperial Nylon  
Tube  
30m Coil**



Part Number	Tube OD (inch)	Tube ID (inch)	Colour	Working Pressure		Min Bend Radius
				bar	PSI	
NT2-075	1/8	0.075	Natural	35	507	1/4"
NT2-075BK	1/8	0.075	Black	35	507	
NT2-075BL	1/8	0.075	Blue	35	507	
NT2-075G	1/8	0.075	Green	35	507	
NT2-075R	1/8	0.075	Red	35	507	
NT2-075Y	1/8	0.075	Yellow	35	507	
NT2-095	1/8	0.095	Natural	20	291	3/8"
NT3-117	3/16	0.117	Natural	33	478	3/8"
NT3-117BK	3/16	0.117	Black	33	478	
NT3-117BL	3/16	0.117	Blue	33	478	
NT3-117G	3/16	0.117	Green	33	478	
NT3-117R	3/16	0.117	Red	33	478	
NT3-117Y	3/16	0.117	Yellow	33	478	
NT4-150	1/4	0.150	Natural	35	507	1/2"
NT4-170	1/4	0.170	Natural	28	406	
NT4-170BK	1/4	0.170	Black	28	406	
NT4-170BL	1/4	0.170	Blue	28	406	
NT4-170G	1/4	0.170	Green	28	406	
NT4-170R	1/4	0.170	Red	28	406	
NT4-170Y	1/4	0.170	Yellow	28	406	
NT5-212	5/16	0.212	Natural	28	406	7/8"
NT5-212BK	5/16	0.212	Black	28	406	
NT5-212BL	5/16	0.212	Blue	28	406	
NT5-212G	5/16	0.212	Green	28	406	
NT5-212R	5/16	0.212	Red	28	406	
NT5-212Y	5/16	0.212	Yellow	28	406	
NT6-250	3/8	0.250	Natural	29	420	1 1/4"
NT6-265	3/8	0.265	Natural	26	377	
NT6-265BK	3/8	0.265	Black	26	377	
NT6-265BL	3/8	0.265	Blue	26	377	
NT6-265G	3/8	0.265	Green	26	377	
NT6-265R	3/8	0.265	Red	26	377	
NT6-265Y	3/8	0.265	Yellow	26	377	
NT8-375	1/2	0.375	Natural	21	304	1 1/2"
NT8-375BK	1/2	0.375	Black	21	304	
NT8-375BL	1/2	0.375	Blue	21	304	
NT8-375G	1/2	0.375	Green	21	304	
NT8-375R	1/2	0.375	Red	21	304	
NT8-375Y	1/2	0.375	Yellow	21	304	
NT10-500	5/8	0.500	Natural	16	232	2 1/2"
NT12-594	3/4	0.594	Natural	16	232	4"
NT16-813	1	0.813	Natural	14	203	9"

**Tube Cutters**



Part Number	Ø RANGE
300010	4-10mm
300020	4-14mm